



**Subject: XOOPS Core Hacks**  
**Topic: Login's System Hack**  
**Login's System Hack**

Posted by: rplima2004

Posted on: : 1126179470

URL:

Good Morning,

During these days it was questioned me by a customer if it would be possible to limit the system of login of xoops. The limit: not to allow to a logged user already in the site to use this exactly username and password to enter in another session while himself still was logged in.

After very searching, I didn't find no referring to this question in our forums or in the communities, therefore I write this topic in forum of [XOOPS Brasil](#) community, which I am part of the group of Support and Contribution. This topic can be seen [in this adress](#).

Based in the answers of this forum, I developed a small hack of the login's system that it decided this problem. And I decided too, to share it with all because it can be of the interest of other xoopers. Thank's to my friends Topet and David for the great tips and to L eu for the translation of this post.

Of course, that's enough, go hack:

Quote:

```
//Hack's Start by rplima
// This hack serves to check if the user already is logged in the site, in case that he is does not allow
new login
$query = $xoopsDB->queryF('SELECT * FROM '.$xoopsDB->prefix('online').' WHERE
online_uname='".$username."'');
$total = $xoopsDB->getRowsNum($query);
if ($total){
$msg = 'Sorry '.$username.' But, it wasn't possible effect your login in the site !! < br />
< p align="left" style="color:red;">
Possibilities:< br />
- You already are logged in the site.< br />
- Somebody logged in the site using your username and password.< br />
- You left the site or close the window of your navigator without click in "logout" link. < br/>
< /p>
Wait some minutes and try again. If the problem persists contact us using the contact form, click in
< a href="'.XOOPS_URL.'/modules/contact/">aqui< /a>.';
redirect_header(XOOPS_URL.'/index.php', 12, $msg);
exit();
}
//Hack's end
```

This hack must be placed in the file include/checklogin.php below of line 49 (xoops 2.0.13).  
Below you find a stretch of the code until the line 49 to easy localization:

Quote:

```
$member_handler =& xoops_gethandler('member');  
$myts =& MyTextsanitizer::getInstance();  
$user =& $member_handler->loginUser($myts->addSlashes($uname), $myts->addSlashes($pass));  
if (false != $user) {  
if (0 == $user->getVar('level')) {  
redirect_header(XOOPS_URL.'/index.php', 5, _US_NOACTTPADM);  
exit();  
}  
}
```

Write a new line below `"}` and put the hack.

Save file and up again for sever.

I hope that it is useful for you, therefore for me solved a problem and allowed me make more one work using XOOPS.

Greetings for all..

Rodrigo

\*\*\*\*\*

Para a comunidade XOOPS de Lingua Portuguesa

Bom dia a todos,

Durante esses dias me foi questionado por um cliente se seria possível limitar o sistema de login do xoops, limitar no sentido de não permitir a um usuário já logado no site de usar este mesmo nome de usuário e senha para efetuar outra sessão ao site enquanto o mesmo ainda estivesse logado.

Depois de muito pesquisar, não achei nada referente a essa questão nos fóruns das comunidades que frequento, portanto lancei este tópico no fórum da comunidade XOOPS Brasil, a qual faço parte do grupo de Suporte e Colaboração. Este tópico pode ser visto [aqui](#).

Com base nas respostas deste fórum, desenvolvi um pequeno hack do sistema de login que resolveu este problema, portanto resolvi compartilhá-lo com todos por achar que o mesmo pode ser do interesse de outros usuários xoops. Gostaria de agradecer também aos amigos Topet e David pelas dicas valiosas e ao amigo Leo pela tradução deste post.

Bom, chega de papo, vamos ao hack.

Quote:

```

//Inicio do hack by rplima
//Este hack serve para checar se o usuário já está logado no site, caso esteja não permite novo login
$query = $xoopsDB->queryF('SELECT * FROM '.$xoopsDB->prefix('online').' WHERE
online_uname="'.$uname.'"');
$total = $xoopsDB->getRowsNum($query);
if ($total){
$msg = 'Desculpe '.$uname.' mas não foi possível efetuar o login no site!! < br />
< p align="left" style="color:red;">
Possíveis causas:< br />
- Você já está logado no site.< br />
- Alguém logou no site utilizando seu nome de usuário e senha.< br />
- Você saiu do site ou fechou a janela do navegador sem clicar no link de logout.< br />
< /p>
Aguarde alguns minutos e tente novamente. Caso o problema persista entre em contato conosco
através do formulário de contato clicando
< a href="'.XOOPS_URL.'/modules/contact/">aqui< /a>.';
redirect_header(XOOPS_URL.'/index.php', 12, $msg);
exit();
}
//Fim do hack

```

Este hack deve ser colocado no arquivo include/checklogin.php logo abaixo da linha 49 (xoops 2.0.13).

Abaixo vc encontra um trecho do código até chegar na linha 49 para facilitar a localização da mesma caso a sua versão não seja a mesma que a minha.

Quote:

```

$member_handler =& xoops_gethandler('member');
$myts =& MyTextsanitizer::getInstance();
$user =& $member_handler->loginUser($myts->addSlashes($uname), $myts->addSlashes($pass));
if (false != $user) {
if (0 == $user->getVar('level')) {
redirect_header(XOOPS_URL.'/index.php', 5, _US_NOACTTPADM);
exit();
}
}

```

Abra uma linha nova logo abaixo do } e coloque o hack aí.

Basta salvar o arquivo e uppar novamente para o servidor.

Espero que seja útil para vocês, pois pra mim solucionou um problema e me permitiu realizar mais um trabalho envolvendo o xoops.

Abraços a todos.

Rodrigo