



**Subject: XOOPS general usage questions**

**Topic: copyright issues -> <http://www.simdigital.com.br>**

**Re: copyright issues -> <http://www.simdigital.com.br>**

Posted by: mauricio

Posted on: : 1158520270

URL:

Quote:

Oki wrote:

domínio: simdigital.com.br  
entidade: Gustavo Sampaio Villa  
documento: 007.317.963/0001-62  
responsável: Gustavo Sampaio Villa  
endereço: Gonçalves Dias, 567,  
endereço: 18081-040 - Sorocaba - SP

yes, ISmart is a new commercial cms 'xoops based', is a parallel project from [www.xoops.net.br](http://www.xoops.net.br) and [XOOPS Brasil](#) team

'Gustavo Sampaio Villa' is the admin 'guvilla':  
<http://www.google.com/search?q=guvilla+xoops>  
<http://www.google.com/search?q=guvilla>

the new iSmarty theme:

```
<!DOCTYPE html PUBLIC
"-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.d
d">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="<{$smarty_langcode}>" lang=
"<{$smarty_langcode}>">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-101059-1" />
<meta http-equiv="content-language" content="<{$smarty_langcode}>" />
<meta name="robots" content="<{$smarty_meta_robots}>" />
<meta name="keywords" content="<{$smarty_meta_keywords}>" />
<meta name="description" content="<{$smarty_meta_description}>" />
<meta name="rating" content="<{$smarty_meta_rating}>" />
<meta name="author" content="<{$smarty_meta_author}>" />
<meta name="copyright" content="<{$smarty_meta_copyright}>" />
<meta name="generator" content="ISMART" />
<title><{$smarty_sitename}> - <{$smarty_pagetitle}></title>
<link href="<{$smarty_url}>/favicon.ico" rel="SHORTCUT ICON" />
<link rel="stylesheet" type="text/css" media="screen" href="<{$smarty_url}>/ismart.css" />
```

```

<link rel="stylesheet" type="text/css" media="screen" href="<{$ismart_themecss}>" />

<!-- RMV: added module header -->
<{$ismart_module_header}>
<script type="text/javascript">
<!--
<{$ismart_js}>
//-->
</script>
</head>
<body>
<center>
<table width="100%" border="0">
  <tr>
    <td>
      <table width="100%" border="0" cellspacing="0" cellpadding="0">
        <tr>
          <td width="155"><a href="<{$ismart_url}>"></a></td>

          <td background="<{$ismart_imageurl}>imagens/topo_fundo.gif" style="padd
ing:8px; vertical-align:middle;"><div align="left"></div></td>
          <td width="49"></td>
        </tr>
      </table>
    </td>
  </tr>
  <tr>
    <td>
      <br />

      <table width="100%" border="0" cellspacing="0" cellpadding="0">
        <tr valign="top"><br>
          <td width="160" style="padding-right:10px">
            <{section name=bl
ockLeft loop=$ismart_lblocks start=0}>
              <table width="100%" border="0" cellspacing="0" cellpadding="0">
                <tr>
                  <td bgcolor="#BFD1E7" style="padding:8px;" class="blocos
Esq"><center>
                    <div class="titulo"><{$ismart_lblocks[blockLeft].titl
e}></div>
                    <div class="conteudo"><{$ismart_lblocks[blockLeft
].content}></div>
                  </center>
                </td>
              </tr>
            </table>
          </td>
        </tr>
      </table>
    </td>
  </tr>
</table>

```

```

        </table><br>
    </section>
</td>
    <td><{if $message!=""}><div class="message"><{$message}></div></if>
<section name=blockCCenter loop=$ismart_ccblocks start=0>
    <table width="100%" cellpadding="0" cellspacing="0" style="border:1px
x solid #a2b6e2; background-color:#FFFFFF;">

        <tr>
            <td style="padding:8px;">
                <div class="titulo"><{$ismart_ccblocks[blockCCenter].title}></div>
                <div class="conteudo"><{$ismart_ccblocks[blockCCent
er].content}></div>
            </td>
        </tr>
    </table><br>
</section>
<table width="100%" cellpadding="0" cellspacing="0" style="border:1px solid #a2b6e2
; background-color:#FFFFFF;">

    <tr>
        <td style="padding:8px;">
            <div class="content"><{$ismart_contents}></div>
        </td>
    </tr>
</table>
</td>
<td style="padding-left:10px; width:150px;">

    <center>
    <section name=blockRight loop=$ismart_rblocks start=0>
    <table width="98%" cellpadding="0" cellspacing="0" style="border:1px solid #a2b
6e2; background-color:#FFFFFF;" class="blocosDir">
        <tr>
            <td style="padding:8px;"><div class="titulo"><{$ismart_rblocks[blockRight].title
}></div>

            <br>
            <div><{$ismart_rblocks[blockRight].content}></div></td>
        </tr>

    </table>
    <br>
    </section>
    </center>
</td>
</tr>
</table>
</td>
</tr>

```

```
<tr>
    <td><br /><br /><center><{$ismart_footer}></center></td>
</tr>
</table>
</body>
</html>
```